

Revision Date 30-May-2018

SAFETY DATA SHEET

Version 2

1. IDENTIFICATION

Product identifier SEAL+LOCK THREAD COMPOUND 35 ML **Product Name** Other means of identification **Product Code** 57535 Recommended use of the chemical and restrictions on use **Recommended Use** Sealant. Uses advised against No information available Details of the supplier of the safety data sheet Manufacturer Address May Also Be Distributed by: **ITW Permatex ITW Permatex Canada** 6875 Parkland Blvd. 101-2360 Bristol Circle Solon, OH 44139 USA Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994 24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

<u>Signal word</u> Danger

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance(s)

Chemical Name	CAS No	Weight-%
DIMETHYLBENZYL	80-15-9	1 - 5
HYDROPEROXIDE		

Any concentration shown as a range is due to batch variation.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical

	7. HANDLING AND STORAGE
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods and material for containm	ent and cleaning up
Environmental precautions	See section 12 for additional ecological information.
Environmental precautions	
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skir Use personal protective equipment as required.
Personal precautions, protective e	quipment and emergency procedures
protective gear.	6. ACCIDENTAL RELEASE MEASURES
	ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.
Specific hazards arising from the c None in particular.	<u>hemical</u>
Unsuitable extinguishing media None.	
Suitable extinguishing media Carbon dioxide (CO2), Dry chemical,	Foam
	5. FIRE-FIGHTING MEASURES
Note to physicians	Treat symptomatically.
-	al attention and special treatment needed
Symptoms	See section 2 for more information.
Most important symptoms and effe	ects, both acute and delayed
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion	IF SWALLOWED:. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
	advice/attention. Wash contaminated clothing before reuse.

57535 - SEAL+LOCK THREAD COMPOUND 35 ML

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Store locked up. Keep container tightly closed in a dry and well-ventilated place.	
Incompatible materials	Strong oxidizing agents	
8. EX	POSURE CONTROLS/PERSONAL PROTECTION	
Control parameters		
Exposure Guidelines . NIOSH IDLH Immediately Dangerous to Life or Health		
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Appropriate engineering controls		
Engineering Controls	Showers Eyewash stations Ventilation systems	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Viscous liquid Violet Methacrylate No information available	
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	Values No information available No information available > 200 °C / >392 °F 95 °C / 203 °F No information available No information available	<u>Remarks • Method</u>
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents	No information available No information available No information available No information available No information available Immiscible in water No information available	

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available

No information available No information available 0.41% No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract. May cause damage to organs through prolonged or repeated exposure if inhaled.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity No information available.

IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	15313 mg/kg
ATEmix (dermal)	15045 mg/kg
ATEmix (inhalation-dust/mist)	25 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

14.5 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

<u>Mobility</u> No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS		
Waste treatment methods		
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated packaging	Do not reuse container.	
US EPA Waste Number	Not applicable	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable

14. TRANSPORT INFORMATION

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
SACCHARIN - 81-07-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
TITANIUM DIOXIDE - 13463-67-7	*Carcinogen (airborne, unbound particles of respirable size)	

• *The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
POLYTETRAFLUOROETHYLENE	-	-	Х
9002-84-0			

Personal protection B

DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	X	X	X
SACCHARIN 81-07-2	X	Х	Х
TITANIUM DIOXIDE 13463-67-7	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2A - Very toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 1	Instability 0
HMIS	Health hazards 2	Flammability 1	Physical hazards 0

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 30-May-2018

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet