# CRC

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Crystal Lakes™ Hull & Bottom Cleaner

Other means of identification

Product code MK7320

Recommended use Cleaner for fiberglass hulls

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

**Telephone** 

 General Information
 215-674-4300

 Technical
 800-521-3168

**Assistance** 

 Customer Service
 800-272-4620

 24-Hour Emergency
 800-424-9300 (US)

(CHEMTREC) 703-527-3887 (International)
Website www.crcindustries.com

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, dermal Category 4
Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage.

Precautionary statement

**Prevention** Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection. Do not eat, drink or smoke when using this product.

**Response** If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with

plenty of water. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name			%
Oxalic Acid		144-62-7	90 - 100

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Skin contact Wash off with soap and water. Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content Ingestion doesn't get into the lungs. Get medical attention if symptoms occur. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Most important vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory symptoms/effects, acute and delayed tract, skin and eyes. Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim medical attention and special under observation. Symptoms may be delayed. treatment needed **General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

## 5. Fire-fighting measures

Suitable extinguishing media	Water Spray or Fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
General fire hazards	No unusual fire or explosion hazards noted.

protect themselves. Show this safety data sheet to the doctor in attendance.

# 6. Accidental release measures

Personal precautions,

protective equipment and emergency procedures	appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid dust formation. This product is miscible in water. Should not be released into the environment.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. For product usage instructions, please see the product label.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear

# Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Protect from freezing. Do not store container above 110 °F/43 °C. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Crystal Lakes™ Hull & Bottom Cleaner

MK7320 Version #: 02 Revision date: 01-08-2016 Issue date: 06-01-2015

SDS US

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	
Oxalic Acid (CAS 144-62-7)	PEL	1 mg/m3	
<b>US. ACGIH Threshold Limit Values</b>	5		
Components	Туре	Value	
Oxalic Acid (CAS 144-62-7)	STEL	2 mg/m3	
	TWA	1 mg/m3	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
Oxalic Acid (CAS 144-62-7)	STEL	2 mg/m3	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

1 mg/m3

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

**TWA** 

Skin protection

**Hand protection** Wear protective gloves such as: Rubber.

Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an acid gas cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual

employee exposure levels.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

#### **Appearance**

Physical state Solid.
Form Powder.
Color White.
Odor Bland.

Odor threshold Not available.

**pH** 0.8 - 1.5 @ 1% solution

Melting point/freezing point 373.1 °F (189.5 °C) estimated

Initial boiling point and boiling

range

Not available.

Flash point None.

Evaporation rate Very slow.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

0.0003 hPa estimated Vapor pressure

Vapor density > 1 (air = 1)

Relative density 1.8 Soluble. Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity (kinematic)** Percent volatile Not available.

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Excessive heat. Temperatures above 110 °F. Contact with incompatible materials.

Bases. Oxidizing agents. Reducing agents. Chlorates. Hypochlorites. Silver. Silver compounds. Incompatible materials

Furfuryl alcohol.

Hazardous decomposition

products

Carbon oxides.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Harmful in contact with skin. Dust or powder may irritate the skin.

Eye contact Causes serious eye damage.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory

tract, skin and eyes.

#### Information on toxicological effects

Harmful in contact with skin. Harmful if swallowed. Acute toxicity Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye damage.

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Material name: Crystal Lakes™ Hull & Bottom Cleaner MK7320 Version #: 02 Revision date: 01-08-2016 Issue date: 06-01-2015

# 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results
Crystal Lakes™ Hull & Bottom Cleaner

Aquatic

Crustacea EC50 Daphnia 125 mg/l, 48 hours estimated

Components Species Test Results

Oxalic Acid (CAS 144-62-7)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia magna) 125 - 150 mg/l, 48 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal of waste from residues / unused products**This material, as packaged, is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33).
Mixtures or solutions of this material should be tested for hazardous characteristics before

disposal. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all

applicable regulations.

Hazardous waste code Not regulated.

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

#### 15. Regulatory information

US federal regulations This

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Oxalic Acid (CAS 144-62-7)

1.0 % One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

**CERCLA Hazardous Substances: Reportable quantity** 

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**Food and Drug** Administration (FDA) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Section 311/312** Immediate Hazard - Yes Delayed Hazard - No **Hazard categories** 

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** hazardous substance

#### **US** state regulations

#### US. New Jersey Worker and Community Right-to-Know Act

Oxalic Acid (CAS 144-62-7)

#### **US. Massachusetts RTK - Substance List**

Oxalic Acid (CAS 144-62-7)

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Rhode Island RTK**

None.

## US. Pennsylvania Worker and Community Right-to-Know Law

Oxalic Acid (CAS 144-62-7)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### Volatile organic compounds (VOC) regulations

#### **EPA**

VOC content (40 CFR Not determined

51.100(s))

**Consumer products** (40 CFR 59, Subpt. C)

Not regulated

State

**Consumer products** Not regulated VOC content (CA) 0 % VOC content (OTC) 0 %

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

06-01-2015 Issue date **Revision date** 01-08-2016 Prepared by Allison Cho

Version # 02

Not available. **Further information HMIS®** ratings Health: 3 Flammability: 1 Physical hazard: 0 Personal protection: D

**NFPA** ratings Health: 3 Flammability: 1

Instability: 0

NFPA ratings



Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.

Material name: Crystal Lakes™ Hull & Bottom Cleaner

SDS US 7/7 MK7320 Version #: 02 Revision date: 01-08-2016 Issue date: 06-01-2015