

SAFETY DATA SHEET

Issuing Date 10-Nov-2011

Revision Date 20-Feb-2019

Revision Number 4



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name MARINE GRADE ANTI-SEIZE

Other means of identification

Product Code(s) 497

(M)SDS Number WPS-JLI-020-49702CA

Recommended use of the chemical and restrictions on use

Recommended Use Sealant Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube , LLC.

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

Company Emergency Phone

1-800-699-6318

Number Emergency Telephone Number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

·



Appearance Beige Physical state Gel Odor Petroleum

GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

None

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection Do not eat, drink or smoke when using this product **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Calcium fluoride	7789-75-5	25-30	-	-
Talc	14807-96-6	2-5	-	-
Titanium dioxide	13463-67-7	1-3	-	-

4. FIRST AID MEASURES

First aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.



Revision Date 20-Feb-2019

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE



Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid breathing

vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name		ACGIH T	LV	OSHA PEL		NIOSH IDLH	
Calcium fluoride		TWA: 2.5 mg/m ³ F		TWA: 2.5 mg/m ³ F		IDLH: 250 mg/m ³ F	
7789-75-5				(vacated) TWA: 2.5 mg/m ³			
Talc		TWA: 2 mg	g/m³	(vacated) TWA: 2 mg/m ³		IDLH: 1000 mg/m ³ containg no	
14807-96-6	807-96-6		, ,	, ,		asbestos and <1% quartz TWA: 2 mg/m³	
Titanium dioxide			g/m ³	TWA: 15 mg/m ³ total dust		IDLH: 5000 mg/m ³	
13463-67-7			3		(vacated) TWĂ: 10 mg/m³ total		· ·
				dust			
Chemical Name	Chemical Name Alberta		British C	Columbia	Ontario TWAE	V	Quebec
Calcium fluoride	le TWA: 2.5 mg/m ³ TWA:		TWA: 2.	5 mg/m ³ TWA: 2.5 mg/n		n ³	TWA: 2.5 mg/m ³
7789-75-5			3		3		3
Talc	1	ΓWA: 2 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TWA: 3 mg/m ³
14807-96-6		•		-			
Titanium dioxide	TWA: 10 mg/m ³ TV		TWA: 1	0 mg/m ³ TWA: 10 mg/r		า ³	TWA: 10 mg/m ³
13463-67-7			TWA: 3				

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protectionWear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid



contact with skin, eyes or clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Gel
Appearance Beige
Odor Petroleum

Color No information available

Odor Threshold Not applicable

Property Values Remarks Method

pH Neutral

Melting / freezing point > 204 °C None known

Boiling point / boiling range > 260 °C Flash Point > 221 °C

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit

Lower flammability limit

No data available

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.36 Water Solubility Negligible

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water Not applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point No information available
Molecular Weight No information available

VOC Content (%) None

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.



11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known hazard by inhalation.

Eye contact None known.

Skin contact No known effect.

Ingestion Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Information on toxicological effects

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2,957.00 mg/kg

Unknown acute toxicity Component Information

No information available

Chemical Name LD50		LD50 Oral	LD50 Dermal	Inhalation LC50
	Calcium fluoride	= 4250 mg/kg (Rat)		
	Titanium dioxide	> 10000 mg/kg (Rat)		> 6820 mg/m ³

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Legend

No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION



Ecotoxicity

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water	
			Microorganisms	Flea)	
Talc	EC50 72 h: > 1000 mg/L	96h LC50: > 1000 mg/L	10-day LC50 = >	48h EC50: = >1000mg/L	
	(Skeletonema costatum)		12194mg/kg (Corophium	(Acartia tonsa)	
			volutator)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste		
Calcium fluoride	Toxic		
7789-75-5			

14. TRANSPORT INFORMATION

D<u>OT</u> **NOT REGULATED**

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

Not regulated IATA

Not regulated <u>IMDG</u>

NOT REGULATED <u>RID</u>

NOT REGULATED <u>ADR</u>

ADN **NOT REGULATED**



15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

EINECS/ELINCS

ENCS

KECL

PICCS

AICS

Complies.

Not determined.

Complies.

Not determined.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65



This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Calcium fluoride	Χ				
7789-75-5					
Talc	X	Х	Х		Χ
14807-96-6					
Titanium dioxide	Х	X	Х		
13463-67-7					

16. OTHER INFORMATION

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 10-Nov-2011

Revision Date 20-Feb-2019

Revision Note Initial Release

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

