Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name Date Prepared April 19, 2013
Date Revised March 16, 2016

Rev. 2

Thermo Label LI-40,45,50,55,60,65,70,75,80,85,90,95,100,105,115,125,130,140,150,160,170

Thermo Label F-50,55,60,65,70,75,80,85,90,95,100,105,115,125

Thermo Label 3E-40,45,50,55,60,65,70,75,80,85,95,105,130,140,150,160,170

Thermo Label 4E-50,55,60,65,70,75,80,85,90

Thermo Label 5E-50,75,125

Thermo Label 5S-50,55,60,65,70,75,80,85,90

Thermo Label Super Mini1K-40,45,50,55,60,65,70,75,80,85,90,95,100,105,110,125

Thermo Label Super Mini3K-40,50,65,80,95,130

Thermo Label Super Mini3R-40,50,60,70,80,90,100,120,130

Company Name NiGK Corporation

Company Address 21-2 Matoba-shinmachi, Kawagoe, Saitama, 350-1107 JAPAN Issued Department ENVIRONMENT SAFETY ADMINISTRATION DEPT.

+81-49-231-2103 Fax Number +81-49-232-1334

E-mail Address kankyo-hoan@nichigi.co.jp
Recommended Use and Restrictions on Use Temperature indicating material

This product is a molded article that does not take any other form than solid and will not be powdered or granulated under normal handling conditions. Therefore, it is not legally obligated to attach a safety label or SDS to this product. The hazard and toxicity information given below is the reference information concerning the chemical substances used as temperature indicating material of this product.

Hazardous substance will not leak out from this product under normal handling conditions. Never modify the shape of this product. If you do so, hazardous substance may be released or exposed.

2. HAZARD IDENTIFICATION

GHS Classification: Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Single Product / M Ingredients		Content (%)	Official reference number in Japan	CAS number
	Polyester film	50 to 80	_	
	Temperature indicating ink	3 to 30	_	
	Absorbent paper	5 to 20	_	
	Acrylic pressure sensitive adhesive	5 to 20	_	_
	Marking ink	<3	_	_

	tery he pressure sensitive admestive	5 10	20						
Marking ink		<3	3	_	_				
Composition									
LI, F, 3E, 4E, Super Mini			Polyester film						
5E, 5S 1K, 3K, 3R			Temperature indicating ink						
			Absorbent paper						
			Acrylic pressure sensitive adhesive						
			Marking	king ink					

Polyester film, temperature indicating ink, absorbent paper, acrylic pressure sensitive adhesive, and marking ink are composed of known chemical substances which are not among the target substances to be notified under the Industrial Safety and Health Law nor among the target substances of the PRTR law. Their names are kept as trade secrets and will not be disclosed.

4. FIRST-AID MEASURES

Inhalation Because this product is a label, inhalation hazard will not occur under normal handling

conditions. If inhalation causes headaches, dizziness, or other discomfort, remove person to

fresh air.

Skin Contact No special measure is required. If skin irritation occurs, rinse the skin with cold or tepid

water.

Eye Contact Because this product is a label, it will not get into the eyes under normal handling conditions.

If in eyes, rinse cautiously with clean water for at least 15 minutes and get treated by an

ophthalmologist.

Ingestion Because this product is a label, it will not be swallowed under normal handling conditions. If

swallowed, rinse mouth cautiously with clean water. If possible, induce vomiting by sticking

finger in throat and get medical attention.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Extinguishing powder (ABC), carbon dioxide, drying sand, or fire extinguishing

oam

Unsuitable Extinguishing Media Not available

Extinguishing Method Cut off the fire source and use extinguishing media from the windward.

6. ACCIDENTAL RELEASE MEASURES

Because this product is a label, it will cause no leakage hazard.

7. HANDLING AND STORAGE

Handling Precautions Technological countermeasures: None in particular Precautions: None in

particular

Storage Precautions Technological countermeasures: None in particular

Storage conditions: No particular hazards. To keep the quality, however, store

this product in a cool and dark place away from heat and moisture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Standard Control Concentration No applicable substance Occupational Exposure Limit No applicable substance

Equipment Countermeasures None in particular under normal handling conditions
Protective Gear None in particular under normal handling conditions

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Label
Odor None
pH Not av

pH Not available
Melting Point/Freezing Point Not available
Boiling Point, Initial Boiling Point and Boiling Point Range Not available
Flash Point Not available
Explosion Limits Not available
Vapor Pressure Not available
Vapor Density Not available
Specific Gravity Not available

Solubility Slightly soluble in water and organic solvent.

Octanol/Water Partition CoefficientNot availableAuto-ignition TemperatureNot availableDecomposition TemperatureNot availableViscosityNot available

10. STABILITY AND REACTIVITY

Stability Stable under normal handling conditions.

Possibility of Hazardous Reactions Not available

Conditions to Avoid Heat and moisture (to prevent the product from deterioration although

there are no hazards.)

Incompatible Materials Pyrophoric substances

Hazardous Decomposition Products Not available

11. TOXICOLOGICAL INFORMATION

Not available

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose in accordance with the related laws and regulations.

Method of Consigning Waste Disposal When disposing of the contents/container, consign them to a licensed

industrial waste disposal operator with this sheet disclosed.

14. TRANSPORT INFORMATION

UN Number Not applicable
Proper Shipping Name Not applicable
UN Class Not applicable
Packing Group Not applicable
Marine Pollutant Not applicable

Precautions for Loading Handle the package with care to prevent it from being wet or broken. Other Precautions Follow general precautions as well as the other handling and storage

Follow general precautions as well as the other handling and storage precautions described in this document. For the materials which change

their color under 80°C, pay attention to the temperature during

transportation.

15. REGULATORY INFORMATION

No applicable law articles

16. OTHER INFORMATION

Reference

- 1) GHS Classification Results Database (National Institute of Technology and Evaluation, Japan)
- GHS Model MSDS Information (Japan Advanced Information Center of Safety and Health,
- Japan Industrial Safety & Health Association)
- 3) Guideline for Creating a Material Safety Data Sheet (Japan Chemical Industry Association)
- 4) ezCRIC (Japan Chemical Database Ltd.)

This document ("Safety Data Sheet") is not a safety warranty.

Before handling this product, the users must read this "Safety Data Sheet" as reference, and take measures appropriate for their specific situation on their own responsibility.

The information on this "Safety Data Sheet" may be updated any time based on revised laws and regulations and new findings.

Before use of this product, it is recommended to check on not only the hazard and toxicity information but also the latest rules, regulations, and laws of your organization, area, or country.

To the best of our knowledge the information contained herein is accurate. However, we assume no liability for the accuracy or completeness of the information contained herein. Final determination of the suitability of any product is the sole responsibility of the user. All products may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.